LARDIS:ONE DS

How do I create a logtrace in LARDIS:ONE?

i Available from version 2.x

To create a logtrace on LARDIS:ONE devices, you have two options. The first option is executed directly via the LARDIS:ONE interface. To do this, long press on the LARDIS logo on the left edge of the screen.

07:59	LARDIS:ONE mini TMO 🛺 🔒		1	2	
	DL		Einsatzber. Funk	Einsatzber. Wache	
	DL-6-S		3	4	
	2		Einsatz übernommen	Am Einsatzort	
LARDIS	Telefonbuch Gruppen	TETRA	5 Sprechwunsch	O Prio. Sprechwunsch	
		۲¢	NOTRUF	● ● ● weitere	

The window that opens now shows you the output of the debugger. Press the red Record button for a background recording and then reproduce the error. You can return to the familiar LARDIS interface by briefly tapping the LARDIS logo again.

Page 1 / 3 © 2025 LARDIS Support Team <support@lardis.de> | 2025-07-01 08:50 URL: https://faq.lardis.de/index.php?action=faq&cat=10&id=83&artlang=en

LARDIS:ONE DS



After creating the log, connect the LARDIS:ONE to a PC via USB and start the LARDIS setup there. Use the Actions menu to call up the item "View log files...". You can now save the log data displayed there and send it to support.

LARDIS:ONE DS

			—		\times
CONFIGU	RE		АСТ	IONS	≡▼
	0	Configu	re		
	Ĉe	Copy Se			
	+	Update			
	Ð	Import Configuration			
	۵°	Manage Maps			
		Change	Licence		
	đ	Debugg	er		
	Ö	View log	j files		
	æ	View co	nfiguratio	on export	:
	€	English			•
	СЭ	LARDIS	Support		

Record log trace directly via LARDIS setup

Connect the LARDIS:ONE to your PC via USB and start the configuration software "LARDIS Setup". Now select the "Debugger..." item in the Actions menu. Reproduce the error and save the log data. You can send these to the support.

Unique solution ID: #1118 Author: Tech. Support Last update: 2023-02-15 09:52